## § 180.627

the commodity.

 $\hbox{$2$-[2-(1-chlorocylcopropyl)-3-(2-$]}$ chlorophenyl)-2-hydroxypropyl]-1,2dihydro-3H-1,2,4-triazole-3-thion, cluding its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be deterby mined measuring only prothioconazole and its metabolite prothioconazole-desthio,  $\alpha$ -(1chlorocyclopropyl)- $\alpha$ -[(2chlorophenyl)methyl]-1H-1,2,4-triazole-1-ethanol, calculated as parent in or on

Commodity	Parts per million
Alfalfa, forage	0.02
Alfalfa, hay	0.02
Beet, sugar, roots	0.25
Corn, sweet kernel plus cob with husks re-	
moved	0.04
Grain, aspirated grain fractions	11
Grain, cereal, forage, fodder and straw, group	
16, except sorghum, and rice; forage	8.0
Grain, cereal, forage, fodder and straw, group	
16, except sorghum, and rice; hay	7.0
Grain, cereal, forage, fodder and straw, group	
16, except sorghum, and rice; stover	10
Grain, cereal, forage, fodder and straw, group	
16, except sorghum, straw	5.0
Grain, cereal, group 15, except sweet corn and	
sorghum	0.35
Pea and bean, dried shelled, except soybean,	0.0
subgroup 6C	0.9 0.02
Peanut	0.02
Potato	0.02
Rapeseed, seed	0.13
Soybean, forage	4.5
Soybean, hay	17
Soybean, seed	0.15
	0.10

(2) Tolerances are established for residues of prothioconazole, 2-[2-(1-chlorocylcopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thion, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only prothioconazole and its metabolites prothioconazole-desthio, or  $\alpha$ -(1-chlorocyclopropyl)- $\alpha$ -[(2-chlorophenyl)methyl]-1H-1,2,4-triazole-

1-ethanol, and conjugates that can be converted to these two compounds by acid hydrolysis, calculated as parent in or on the commodity.

Commodity	Parts per million
Cattle, fat	0.1
Cattle, meat	0.02
Cattle, meat byproducts	0.2

Commodity	Parts per million
Goat, fat	0.1
Goat, meat	0.02
Goat, meat byproducts	0.2
Hog, meat byproducts	0.05
Horse, fat	0.1
Horse, meat	0.02
Horse, meat byproducts	0.2
Milk	0.02
Poultry liver	0.02
Sheep, fat	0.1
Sheep, meat	0.02
Sheep, meat byproducts	0.2

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[72 FR 11783, Mar. 14, 2007, as amended at 73 FR 14719, Mar. 19, 2008; 74 FR 14749, Apr. 1, 2009; 74 FR 46699, Sept. 11, 2009; 75 FR 29914, May 28, 2010; 76 FR 61592, Oct. 5, 2011]

## § 180.627 Fluopicolide; tolerances for residues.

(a) *General*. Tolerances are established for residues of the fungicide fluopicolide [2,6-dichloro-*N*-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide], including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified below is to be determined by measuring only fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide] in or on the commodity.

Commodity	Parts per million
Brassica, head and stem, subgroup 5A	5.0 2.0 6.0 0.05 18 7.0 0.50 1.60 25 15.0 0.15 0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for residues

## **Environmental Protection Agency**

of the fungicide fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethy1)-2-

pyridinyl]methyl]benzamide], including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified below is to be determined by measuring only fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide] in or on the commodity.

Commodity	Parts per million
Wheat, aspirated grain fractions Wheat, forage Wheat, grain Wheat, hay Wheat, milled byproducts	0.07 0.20 0.02 0.50 0.07
Wheat, straw	0.50

 $[72\ {\rm FR}\ 14447,\ {\rm Mar.}\ 28,\ 2007,\ {\rm as}\ {\rm amended}\ {\rm at}\ 73\ {\rm FR}\ 5455,\ {\rm Jan.}\ 30,\ 2008;\ 73\ {\rm FR}\ 30498,\ {\rm May}\ 28,\ 2008;\ 76\ {\rm FR}\ 22054,\ {\rm Apr.}\ 20,\ 2011]$ 

## § 180.628 Chlorantraniliprole; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide chlorantraniliprole, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only chlorantraniliprole, 3-bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide.

Commodity	Parts per million
Acerola	2.0
Alfalfa, seed	7.0
Almond, hulls	5.0
Animal feed, nongrass, group 18, forage	25
Animal feed, nongrass, group 18, hay	90
Apple, wet pomace	2.5
Artichoke, globe	4.0
Asparagus	13
Atemoya	4.0
Avocado	4.0
Banana	4.0
Beet, sugar, molasses	9.0
Berry, large shrub/tree, subgroup 13-07C	2.5
Berry, low growing, subgroup 13-07G	1.0
Biriba	4.0
Brassica, head and stem, subgroup 5A	4.0
Brassica, leafy greens, subgroup 5B	11
Bushberry, subgroup 13-07B	2.5
Cacao bean	0.08
Cacao bean, chocolate	1.5
Cacao bean, cocoa powder	1.5
Cacao bean, roasted bean	0.8

Commodity	Parts per million
Cactus	13
Canistel	4.0
Cattle, fat	0.5
Cattle, liver	0.3
Cattle, meat  Cattle, meat byproducts, except liver	0.1 0.2
Cherimoya	4.0
Cherry, sweet	2.0
Cherry, tart	2.0
Citrus, dried pulp	14
Coffee, green bean	0.4
Corp. field, forage	2.0 14
Corn, field, forage  Corn, field, grain	0.04
Corn, field, milled byproducts	0.1
Corn, field, stover	14
Corn, pop, forage	14
Corn, pop, grain	0.04
Corn, pop, stover	14
Corn, sweet, forage  Corn, sweet, kernel plus cobs with husk re-	14
moved	0.02
Corn, sweet, stover	14
Cotton, gin byproduct	30
Cotton, hulls	0.40
Cottonseed subgroup 20C	0.3
Crayfish	8.0
Custard apple	4.0 0.2
Egg Feijoa	4.0
Fig	4.0
Fruit, caneberry, subgroup 13-07A	1.8
Fruit, citrus, group 10	1.4
Fruit, pome, group 11, except mayhaw	1.2
Fruit, small vine climbing, subgroup 13–07F	2.5
Fruit, stone, group 12, except cherry, chickasaw plum, and damson plum	4.0
Goat, fat	0.5
Goat, liver	0.3
Goat, meat	0.1
Goat, meat byproducts, except liver	0.2
Grain, aspirated grain fractions	640 5.0
Grass forage, fodder and hay, group 17	90
Guava	4.0
Herb subgroup 19A, dried leaves	90
Herb subgroup 19A, fresh leaves	25
Hog, fat	0.02
Hog, meat byproducts Hop, dried cones	0.02 90
Horse, fat	0.5
Horse, liver	0.3
Horse, meat	0.1
Horse, meat byproducts, except liver	0.2
llama	4.0 2.0
Longan	4.0
Lychee	2.0
Mango	4.0
Mayhaw	0.6
Milk	0.05
Nut, tree, group 14 Olive	0.04 4.0
Olive, oil	40
Onion, bulb, subgroup 3–07A	0.30
Papaya	2.0
Passionfruit	2.0
Peppermint, tops	9.0
Persimmon	4.0
Pineapple Pineapple, process residue	1.5 3.0
Pistachio	0.04
Plum, chickasaw	2.0